	Application No.	Applicant(s)
Notice of Allowability	10/773,818	SHIBAHARA ET AL.
	Examiner	Art Unit
	Barbara Summons	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE received 18 May 2007 (with prior amend. submission).		
2. The allowed claim(s) is/are <u>1-12</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Date	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7.	nent/Comment
Paper No./Mail Date 6/27/07 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/773,818

Art Unit: 2817

Ţ

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Firstly, it should be noted that the Examiner erroneously commented in the prior advisory action that the prior rejections of claims 4 and 5 would appear to be valid on the claims as presented in the amendment received 5/1/07, the error lying in the fact that the previously applied reference had been disqualified as prior art by the affidavits received 11/21/06. Also Nakamura was disqualified as prior art by the certified translation of Applicants' foreign priority document. A new search on the claims in their current form yielded no new references.

Therefore, the prior art of record does not disclose or fairly suggest a SAW filter having every one of the recited features including an insulating pattern and a conductor pattern that defines wiring traces and especially wherein at the specified portion where wiring traces face each other "a ground wiring trace is disposed directly on the piezoelectric substrate; and at least one of the wiring traces having a different potential from that of the ground wiring trace is disposed on the insulating pattern" (see claim 1, the last five lines thereof), or wherein the insulating pattern includes resin (see claim 4, the last line thereof) or has the recited thickness (see claim 5, the last line thereof).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/773,818

Art Unit: 2817

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara Summons whose telephone number is (571) 272-1771. The examiner can normally be reached on M-Th, M-Fr.

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bob Pascal can be reached on (571) 271-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

bs July 19, 2007

BARBARA SUMMONS PRIMARY EXAMINER